

Hello World examples for several programming languages
(c) 2023 Marc Groenewegen & Wouter Ensink

c/c_hello.c

```
#include <stdio.h>
```

```
int main() {
    // sneller + newline
    puts("Hello, World!");

    // formatted
    printf("Hello, World!\n");

    return 0;
}
```

cplusplus/cpp_hello.cpp

```
#include <iostream>
```

```
int main() {
    std::cout << "Hello, World!\n";
    return 0;
}
```

```
/*
```

```
// in C++23 kun je de nieuwe print module gebruiken:
```

```
include <print>
```

```
int main() {
    std::println("Hello, World!");
    return 0;
}
```

```
*/
```

rust/rust_hello.rs

```
fn main() {
    println!("Hello, World!");
}
```

```
*****
```

```
python/python_hello.py
```

```
*****
```

```
print('Hello, World!')
```

```
*****
```

```
scheme/helloworld.rkt
```

```
*****
```

```
(displayln "Hello from Scheme")
```

```
(define receiver "world")
```

```
(displayln (string-append "Hello " receiver))
```

```
*****
```

```
bash/helloworld.sh
```

```
*****
```

```
echo "Hello there"
```

```
*****
```

```
bash/helloworld
```

```
*****
```

```
#!/bin/bash
```

```
echo "Hello there"
```

```
*****
```

```
javascript/js_hello.js
```

```
*****
```

```
console.log("Hello, World");
```

```
*****
```

```
java/Helloworld.java
```

```
*****
```

```
public class HelloWorld  
{
```

```
    public static void main(String [] args)  
    {
```

```
    System.out.println("Hello World");
} // main()

} // HelloWorld{}
```

```
*****
superCollider/helloworld.scd
*****
s.boot

{Sin0sc.ar(440,0,0.5)}.play
```

```
*****
php/helloworld.php
*****
<?php

echo "Hello everyone\n";

?>
```

```
*****
sql/helloworld.sql
*****
SELECT 'Hello world'
```